



CHUCK

ショートテーパーチャックの 旋盤適合表

型 式			第一主軸 形状 (JIS)	第二主軸 形状 (JIS)
(株) 池 貝	AN	20N	A2-6	—
		25N	A2-8	—
	AX	30N	A2-8	—
		40B	A2-15	—
	ED18		A1-5	—
			A1-5	—
	FT		A2-6	—
		20	A2-6	—
	FX	20U,25U,20J,25J,600	A2-8	—
		10N	A2-5	—
		15N,MINI	スリット,フレット仕様	—
		20N	A1-6	—
		20II	A2-6	—
		25W,25II	A2-8	—
	LX20N		A1-6	—
		TC	8,10	スリット,フレット仕様
		15	A2-6	—
	TCR	25	A2-8	—
		15	A2-6	—
	TU	25,25Y	A2-8	—
		15	A2-6	—
	TUR	15	A2-6	—
		サブ	A2-6	—
	TM25YS	メイン	A2-8	—
			A2-8	—
オークマ(株)	LB	2000EX	φ140フラット (A2-6)	φ140フラット
		2500EX	A2-6	—
		3000EX	A2-6(A2-8,A2-11)	φ140フラット
		4000EX	A2-8(A2-11)	—
		2000EXII	φ140フラット (A2-6)	φ140フラット
		2500EXII	A2-6	—
		3000EXII	A2-6(A2-8,A2-11)	φ140フラット
		4000EXII	A2-8(A2-11)	—
		35II	A2-8(A2-11,A2-15)	—
		45II	A2-11(A2-20)	—
		35III	A2-8(A2-11,A2-15)	—
		45III	A2-11(A2-20)	—
	GENOS	L250II	A2-6	—
		L400II	A2-8	—
		L2000	A2-6	—
		L3000	A2-8	—
	LU	300	φ140フラット(A2-6,A2-8)	—
		400	A2-8(A2-11)	—
		3000EX	A2-6	—
		4000EX	A2-8	—
		35	A2-8(A2-11,A2-15)	—
		45	A2-11(A2-20)	—
		35II	A2-8(A2-11,A2-15)	—
		45II	A2-11(A2-20)	—
	LCS	250	A2-6(A2-8)	—
		25	A2-8	—
	2SP	150H	φ140フラット	—
		250H	A2-6	—
		10HG	φ140フラット	φ140フラット
		25HG	A2-6	A2-6
		35HG,V40	A2-8	A2-8
	LFS	V60,V80	A2-11	A2-11
		2500H	A2-6	—
		10-2SP	φ140フラット	φ140フラット
		10M-2SP	φ140フラット	φ140フラット
	3SP	25HG	A2-6	A2-6
		LVT	300	A2-6
		400	A2-8	—
	LAW	FII,2S	A2-8	—
		V24	A2-11	—
	MAC TURN	250	A2-6(A2-8)	φ140フラット(A2-6)
		350	A2-6(A2-8)	φ140フラット(A2-6,A2-8)
		550	A2-8(A2-11)	A2-8
	MULTUS	B200	—	φ140フラット
		B200(W)	φ140フラット	φ140フラット
		B300	A2-6(A2-8)	—
		B300(W)	A2-6(A2-8)	A2-6
		B400	A2-8(A2-11)	—
		B400(W)	A2-8(A2-11)	A2-8
		B550	A2-11	—
		B750	A2-11(A2-15,A2-20)	—
		B200II	φ140フラット(A2-6)	—
		B250II	A2-6(A2-8)	—
		B300II	A2-6(A2-8)	—
		B400II	A2-8(A2-11)	—
		U3000	A2-6	—
		U4000	A2-8	—

型 式			第一主軸 形状 (JIS)	第二主軸 形状 (JIS)
オークマ(株)	LT	U5000	A2-11	—
		200-M	φ140フラット(A2-6)	φ140フラット(A2-6)
		300-M	A2-6(A2-8)	A2-6(A2-8)
		2000EX	φ140フラット(A2-6)	φ140フラット(A2-6)
		3000EX	A2-6(A2-8)	A2-6(A2-8)
	LOC	650	A2-15(A2-20,φ725フラット)	—
		LH(※)	A2-11(A2-15,A2-20)	—
	HJ	18	φ140フラット	—
		28,250	A2-6	—
	HL	20	A2-6	—
		35(L)	A2-8	—
	SV	250	φ140フラット	—
		40R	A2-8	—
	V	60R,80R	A2-11	—
		100R	φ380フラット	—
		760EX	A2-11	—
		920EX	A2-11	—
	VTT	70	A2-11	—
	VTM	65,100,80YB,120YB	A2-11	—
	※LHの取付けボルトはユニファイ仕様です。 ()内は大径、超大径仕様			
KITAKOコーポレーション(株)	ACE	mini ACE	A2-6	—
			A2-5	—
	MT4	75,80,80-200,85	φ60フラット	—
		120,120G,125	A2-5	—
		170,200,250S	A2-6	—
	MT3	120	A2-5	—
		200	A2-6	—
	TG1	52	A2-6	—
	TM1	52	A2-6	—
	V	5II,Turn	A2-6	—
	VT1	200	A2-6	—
	VT2	400,500	A2-8	—
		500	A2-8	—
	VT4	200	A2-6	—
		450,550	A2-8	—
	HS	4200	A2-6	—
		VT4	A2-8	—
大日金属工業(株)	B70		A2-11	—
		DGL	A1-6	—
	DHK,DHM,N105,SH		A1-11	—
		DLG	A1-6	—
	SHB		A1-11	—
		DM	A1-11	—
	III		A2-11	—
		F	15	A2-5
		20	A2-6	—
		25	A1-6	—
		30,35	A2-8	—
	M95		A1-11	—
	M	112,132,152	A2-15	—
(株) T A K I S A W A	TAL	460,510	A1-6	—
		600	A1-8	—
	TC	100	フラットφ140	—
		200	A2-6orフラットφ140	—
		350	A2-8	—
		40	A2-11	—
	TK	2	A2-6	—
		360	A1-5	—
		510,650	A2-8	—
		780	A2-11	—
	TAC	950	A2-11	—
		TSL	550,800	A1-5 ※問い合わせ要
		TT	160	フラットφ140
		200	A2-6	—
	TMM	250	A2-8	A2-6
		200	A2-6	A2-6
		TNR	A2-6	A2-6
		TCC	1100	フラットφ140
	TCN	2100	A2-6	—
		2600	A2-8	—
		3500	A2-8/A2-11	—
		6000	A2-11/A2-15/A2-20	—
	TG	500	フラットφ80	—
		1100	フラットφ140	—
		2100	フラットφ140	—
		2600	A2-6	—
	TT	350	A2-8	—

* (株)シマダマシンツール 旧メーカー名: KITAKOコーポレーション(株)含む

型 式			第一主軸 形状 (JIS)	第二主軸 形状 (JIS)	
(株)TAKISAWA	TK	2100	A2-6		
		2600	A2-8		
	TF	2600	A2-6		
	TCY	160	フラットφ140	フラットφ140	
		200	A2-6	フラットφ140	
	TS	2000	A2-5	A2-5	
		3000	A2-6	フラットφ140	
		4000	A2-8	フラットφ140	
	TMX	5000	A2-8/A2-11	A2-6/フラットφ140	
		2000	A2-6	A2-6	
(株)ツガミ	TM	4000	A2-6/A2-8/A2-11	A2-6/A2-8	
		4000	A2-8	A2-6	
	TMM	250	A2-8	A2-6	
中村留精密工業(株)	PAN	1,2	スリット,フﾟレート仕様	—	
	NCM	45/160,70/160	スリット,フﾟレート仕様	—	
	NL	1	A1-6	—	
		1H	A1-5	—	
	TMC	12	A2-5	—	
		18	A2-6	—	
	TMY	25	A2-6	—	
	SC	100	A2-5	A2-5(OPT)	
		150Ⅱ	A2-5	—	
		200	A2-6	A2-5(OPT)	
		250	A2-6	A2-5(OPT)	
		300Ⅱ/ⅢL	A2-8	A2-5(OPT)	
	TW	450	A2-8	—	
		8	フラットφ108	フラットφ108	
		10	A2-5	A2-5	
		20	A2-6	A2-6	
		30	A1-8	A1-8	
	WT	100	A2-5	A2-5	
		150	A2-5	A2-5	
		250A	A2-6	A2-5	
		250B	A2-5	A2-5	
		250C	A2-5	A2-5	
	JX	300	A2-6	A2-6	
		250	A2-6 (OPT A2-8)	A2-6	
		100	A2-5 (OPT A2-6)	A2-5	
		40	A1-8	A1-8	
		150 ビックホﾟア	A2-6 φ65	A2-5 φ51	
		150 ビックホﾟア	A2-5 φ51	A2-5 φ42	
		150A	A2-5 φ42	A2-5 φ42	
		150B	A2-5 φ32	A2-5 φ32	
		φ61仕様	A2-6	A2-6	
		φ71仕様	A1-8	A1-8	
	100	A2-5 (OPT A2-6)	A2-5 (OPT A2-6)		
	φ51仕様	A2-5	A2-5		
	100	A2-5 (OPT A2-6)	A2-5 (OPT A2-6)		
	φ51仕様	A2-5	A2-5		
	φ65仕様	A2-6	A2-5		
	300/300Ⅱ	A2-6 (OPT A2-8)	A2-6 (OPT A2-8)		
	2AM	A2-5	—		
	2BM	A1-8	—		
3	A1-6	—			
4	A1-8	—			
5	A1-8	—			
6	A1-11	—			
シチバンマシナリー(株)	ABX	51SY,51TH2	A2-6	A2-6	
		64SY,64TH2	A2-8	A2-6	
	BNC	34C5,42C5	スリット,フﾟレート仕様	—	
	BND	34C5,42C5	スリット,フﾟレート仕様	—	
		34S5,42S5	スリット,フﾟレート仕様	—	
		51C2	A2-6(拡大:A2-8)	—	
	BNE	51S2,51SY2	A2-6(拡大:A2-8)	スリット,フﾟレート仕様	
		34S5,34SY5	スリット,フﾟレート仕様	スリット,フﾟレート仕様	
		51S,51SY5	A2-6	スリット,フﾟレート仕様	
	BNJ	34S,34SY	スリット,フﾟレート仕様	スリット,フﾟレート仕様	
		42S,42SY	スリット,フﾟレート仕様	スリット,フﾟレート仕様	
		51S,51SY2	A2-6(拡大:A2-8)	スリット,フﾟレート仕様	
	BX	20S,26S	スリット,フﾟレート仕様	スリット,フﾟレート仕様	
		LX	06E2	スリット,フﾟレート仕様	—
			08C,08R	スリット,フﾟレート仕様	—
	08E2		A2-6	—	
	LZ	01R2,01RY2	スリット,フﾟレート仕様	—	
		02R2,02RY2	A2-6	—	
		GN	3200,3000,4	スリット,フﾟレート仕様	—
	3000W,3100W		スリット,フﾟレート仕様	スリット,フﾟレート仕様	
	BM250		スリット,フﾟレート仕様	スリット,フﾟレート仕様	
	村田機械(株)	MW	40	フラットノーズ	フラットノーズ
50			フラットノーズ	フラットノーズ	
80			フラットノーズ	フラットノーズ	
100G(HG),120G(HG)			A2-5	A2-5	
180			A2-6	A2-6	
200G			A2-6	A2-6	
200GS(高出力仕様)			A2-8	A2-8	
300G			A2-8	A2-8	
400G			A2-11	A2-11	
MS		20	フラットノーズ	—	

型 式			第一主軸 形状 (JIS)	第二主軸 形状 (JIS)
村田機械(株)	MZ	50G,60G	A2-5	—
		90	A2-6	—
		100G	A2-6	—
		60G	フラット	—
		60G	A2-5	—
		100G	A2-6	—
		120G	A2-5	A2-5
		180	A2-6	A2-6
	MD	200G	A2-6	A2-6
		60	A2-5	—
		100	A2-6	—
		200	フラットノーズ	—
	MJ	12	A2-5	A2-5
		20,25	A2-6	A2-6
		100	φ90A2-5/φ110A2-6	φ90A2-5/φ110A2-6
		200	φ100,110,120A2-6/φ130A2-8	φ100,110,120A2-6/φ130A2-8
	ML	400	A2-6	—
	MV	120(M)	A2-5	—
	WSC	6	フラット,フﾟレート仕様	—
	1SC	12	A2-5	—
		10M5000	A2-6	—
	MSC	12M5020	A2-8	—
		22	A2-8	—
	2SC	15M5060,18M5090	A1-11	—
	3SC	24(M5240),28	A1-15	—
DMG森精機(株)	ALX	1500	A2-5	—
		2000	A2-6	—
		2500	A2-8	—
	CL	1500	A2-5	—
		2000A,2000B(大貫通穴仕様)	A2-6	—
		1530	A2-5	—
	Dura Turn	2030	A2-6	—
		2050	A2-6	—
		2550	A2-8	—
	MT		A2-5	—
		(大貫通穴仕様)	A2-6	—
		第二主軸付き	A2-5	A2-5
		第二主軸付き(大貫通穴仕様)	A2-6	A2-5
		2000	A2-6	—
		2000(第二主軸付)	A2-6	A2-5
		2500,3000	A2-8	—
		2500(第二主軸付),3000(第二主軸付)	A2-8	A2-6
		4000Aタイプ	A2-11	—
		4000Bタイプ	A2-15	—
		4000Cタイプ	A1-20	—
		4000Aタイプ(第二主軸付)	A2-11	A2-8
	NL	4000Bタイプ(第二主軸付)	A2-15	A2-8
		4000Cタイプ(第二主軸付)	A1-20	A2-8
		1500	A2-5	—
		1500(第二主軸付)	A2-5	A2-5
		2000	A2-6	—
		2000(第二主軸付)	A2-6	A2-5
	NLX	2500,3000	A2-8	—
		2500(第二主軸付)	A2-8	A2-5
		1500	A2-5	—
		1500(第二主軸付)	A2-5	A2-5
		2000	A2-6	—
		2000(第二主軸付)	A2-6	A2-5, A2-6(オプション)
	NRX	2500,3000	A2-8	—
		2500(第二主軸付)	A2-8	A2-5, A2-6(オプション)
		4000	A2-11, A2-15(オプション)	—
		6000	A2-20	—
		2000	A2-5	—
		3100,3150	A2-5	—
	NT	3100(第二主軸付),3150(第二主軸付)	A2-5	A2-5
		3200,4200	A2-6	—
		3200(第二主軸付),4200(第二主軸付)	A2-6	A2-6
		4250,4300	A2-8	—
		4250(第二主軸付),4300(第二主軸付)	A2-8	A2-8
		5400	A2-11	—
		5400(第二主軸付)	A2-11	A2-11
		6600B	A2-15	—
		6600B(第二主軸付)	A2-15	A2-15
		6600C	A1-20	—
		6600C(第二主軸付)	A1-20	A1-20
		1000	A2-5	A2-5
	NTX	2000	A2-6	A2-6
		2000,3000	A2-8	A2-8
	NZ	1500	A2-5	A2-5
		2000	A2-6	A2-6
		1500	A2-5	A2-5
	NZ-S	1500(大貫通穴仕様)	A2-6	A2-6
		1500	A2-5	A2-5
		2000	A2-6, A2-8(オプション)	A2-6
	NZX	2500	A2-6(オプション), A2-8	—
		4000	A2-11, A2-15, A2-20	—
	RL	153	A2-5	A2-5
		203	A2-6	A2-6

*DMG森精機(株) 旧メーカー名: (株)アマダマシンツール ワシノ機械(株)含む

D
M
G
森精機(株)ヤマザキマザック(株)

高松機械工業(株)

**CHUCK**

Compatibilities of Lathes to Short Taper Chucks

Model		First Spindle Nose (JIS)	Second Spindle Nose (JIS)
IKEGAI	AN	20N	A2-6
		25N	A2-8
	AX	30N	A2-8
	EC18	40B	A2-15
	ED18		A1-5
	FT		A1-5
		20	A2-6
	FX	20U,25U,20J,25J,600	A2-8
		10N	A2-5
		15N,MINI	Straight, plate
		20N	A1-6
		20II	A2-6
		25W,25II	A2-8
	LX20N		A1-6
	TC	8,10	Straight, plate
		15	A2-6
		25	A2-8
	TCR	15	A2-6
OKUMA		25,25Y	A2-8
	TU	15	A2-6
	TUR	15	A2-6
	TM25YS	Sub	A2-6
		Maine	A2-8
	LB	2000EX	φ140Flat (A2-6)
		2500EX	A2-6
		3000EX	A2-6(A2-8,A2-11)
		4000EX	A2-8(A2-11)
		2000EX II	φ140Flat (A2-6)
		2500EX II	A2-6
		3000EX II	A2-6(A2-8,A2-11)
		4000EX II	A2-8(A2-11)
		35II	A2-8(A2-11,A2-15)
		45II	A2-11(A2-20)
		35III	A2-8(A2-11,A2-15)
		45III	A2-11(A2-20)
	GENOS	L250II	A2-6
		L400II	A2-8
		L2000	A2-6
		L3000	A2-8
	LU	300	φ140Flat(A2-6,A2-8)
		400	A2-8(A2-11)
		3000EX	A2-6
		4000EX	A2-8
		35	A2-8(A2-11,A2-15)
		45	A2-11(A2-20)
		35II	A2-8(A2-11,A2-15)
		45II	A2-11(A2-20)
	LCS	250	A2-6(A2-8)
		25	A2-8
	2SP	150H	φ140Flat
		250H	A2-6
		10HG	φ140Flat
		25HG	A2-6
		35HG,V40	A2-8
		V60,V80	A2-11
		2500H	A2-6
	LFS	10-2SP	φ140Flat
		10M-2SP	φ140Flat
	3SP	25HG	A2-6
	LVT	300	A2-6
		400	A2-8
	LAW	F II, 2S	A2-8
		V24	A2-11
	MAC TURN	250	A2-6(A2-8)
		350	A2-6(A2-8)
		550	A2-8(A2-11)
	MULTUS	B200	φ140Flat
		B200(W)	φ140Flat
		B300	A2-6(A2-8)
		B300(W)	A2-6(A2-8)
		B400	A2-8(A2-11)
		B400(W)	A2-8(A2-11)
		B550	A2-11
		B750	A2-11(A2-15,A2-20)
		B200II	φ140Flat(A2-6)
		B250II	A2-6(A2-8)
		B300II	A2-6(A2-8)
		B400II	A2-8(A2-11)
		U3000	A2-6
		U4000	A2-8

*SHIMADA Machine tool Drives includes former manufacturer : KITAKO

Model		First Spindle Nose (JIS)	Second Spindle Nose (JIS)
OKUMA	U5000	A2-11	—
	LT	200-M	φ140Flat(A2-6)
		300-M	A2-6(A2-8)
		2000EX	φ140Flat(A2-6)
		3000EX	A2-6(A2-8)
	LOC	650	A2-15(A2-20,φ725Flat)
	LH(※)	55-N	A2-11(A2-15,A2-20)
	HJ	18	φ140Flat
		28,250	A2-6
	HL	20	A2-6
		35(L)	A2-8
	SV	250	φ140Flat
	V	40R	A2-8
		60R,80R	A2-11
		100R	φ380Flat
		760EX	A2-11
		920EX	A2-11
	VTM	70	A2-11
KITAKO		65,100,80YB,120YB	A2-11
	※Mounting bolts of LH are unifying specifications.		
	Numerical values in () are large diameter as option.		
	ACE		A2-6
	mini ACE		A2-5
	MT4	75,80,80-200,85	φ60Flat
		120,120G,125	A2-5
		170,200,250S	A2-6
	MT3	120	A2-5
		200	A2-6
	TG1	52	A2-6
	TM1	52	A2-6
	V	5II,Turn	A2-6
	VT1	200	A2-6
		400,500	A2-8
	VT2	500	A2-8
	VT4	200	A2-6
		450,550	A2-8
DANICH KINZOKU KOGYO	HS	4200	A2-6
	VT4	350	A2-8
	B70		A2-11
	DGL	6,8,10	A1-6
	DHK,DHM,N105,SH		A1-11
	DLG	SH	A1-6
		SHB	A1-11
	DM		A1-11
		III	A2-11
	F	15	A2-5
		20	A2-6
		25	A1-6
		30,35	A2-8
	M95		A1-11
	M	112,132,152	A2-15
TAKISAWA	TAL	460,510	A1-6
		600	A1-8
	TC	100	Flatφ140
		200	A2-6 or Flatφ140
		350	A2-8
		40	A2-11
			—
	TK	2	A2-6
	TAC	360	A1-5
		510,650	A2-8
		780	A2-11
		950	A2-11
	TSL	550,800	A1-5 ※Inquiry required
	TT	160	Flatφ140
		200	A2-6
	TMM	250	A2-8
		200	A2-6
	TNR	200	A2-6
	TCC	1100	Flatφ140
		2100	A2-6
	TCN	2100	A2-6
		2600	A2-8
		3500	A2-8/A2-11
	TG	6000	A2-11/A2-15/A2-20
	TT	500	Flatφ80
		1100	Flatφ140
		2100	Flatφ140
		2600	A2-6
		350	A2-8

Model			First Spindle Nose (JIS)	Second Spindle Nose (JIS)
TAKISAWA	TK	2100	A2-6	
		2600	A2-8	
	TF	2600	A2-6	
	TCY	160	Flatφ140	Flatφ140
		200	A2-6	Flatφ140
	TS	2000	A2-5	A2-5
		3000	A2-6	Flatφ140
		4000	A2-8	Flatφ140
		5000	A2-8/A2-11	A2-6/Flatφ140
	TMX	2000	A2-6	A2-6
		4000	A2-6/A2-8/A2-11	A2-6/A2-8
	TM	4000	A2-8	A2-6
	TMM	250	A2-8	A2-6
TSUGAMI	PAN	1,2	Straight, plate	—
	NCM	45/160,70/160	Straight, plate	—
	NL	1	A1-6	—
NAKAMURA	TMC	1H	A1-5	—
		12	A2-5	—
		18	A2-6	—
	TMY	25	A2-6	—
	SC	100	A2-5	A2-5(OPT)
		150Ⅱ	A2-5	—
		200	A2-6	A2-5(OPT)
		250	A2-6	A2-5(OPT)
		300Ⅱ/ⅢL	A2-8	A2-5(OPT)
		450	A2-8	—
	TW	8	Flatφ108	Flatφ108
		10	A2-5	A2-5
		20	A2-6	A2-6
		30	A1-8	A1-8
	WT	100	A2-5	A2-5
		150	A2-5	A2-5
		250A	A2-6	A2-5
		250B	A2-5	A2-5
		250C	A2-5	A2-5
		300	A2-6	A2-6
	JX	250	A2-6 (OPT A2-8)	A2-6
	MX	100	A2-5 (OPT A2-6)	A2-5
	STW/STS	40	A1-8	A1-8
	WTW/STS	150 Big bore	A2-6 φ65	A2-5 φ51
		150 Big bore	A2-5 φ51	A2-5 φ42
		150A	A2-5 φ42	A2-5 φ42
		150B	A2-5 φ32	A2-5 φ32
	NTX-W	φ61	A2-6	A2-6
	NTX-S	φ71	A1-8	A1-8
	NTJ	100	A2-5 (OPT A2-6)	A2-5 (OPT A2-6)
	NTM3	φ51	A2-5	A2-5
	NTY3	100	A2-5 (OPT A2-6)	A2-5 (OPT A2-6)
	NTJX	φ51	A2-5	A2-5
		φ65	A2-6	A2-5
	NTRX	300/300Ⅱ	A2-6 (OPT A2-8)	A2-6 (OPT A2-8)
	SUPER TURN	2AM	A2-5	—
		2BM	A1-8	—
		3	A1-6	—
		4	A1-8	—
		5	A1-8	—
		6	A1-11	—
CITIZEN MACHINERY	ABX	51SY,51TH2	A2-6	A2-6
		64SY,64TH2	A2-8	A2-6
	BNC	34C5,42C5	Straight, plate	—
	BND	34C5,42C5	Straight, plate	—
		34S5,42S5	Straight, plate	—
		51C2	A2-6(Enlarged A2-8)	—
		51S2,51SY2	A2-6(Enlarged A2-8)	Straight, plate
	BNE	34S5,34SY5	Straight, plate	Straight, plate
		51S,51SY5	A2-6	Straight, plate
	BNJ	34S,34SY	Straight, plate	Straight, plate
		42S,42SY	Straight, plate	Straight, plate
		51S,51SY2	A2-6(Enlarged A2-8)	Straight, plate
	BX	20S,26S	Straight, plate	Straight, plate
	LX	06E2	Straight, plate	—
		08C,08R	Straight, plate	—
		08E2	A2-6	—
	LZ	01R2,01RY2	Straight, plate	—
		02R2,02RY2	A2-6	—
	GN	3200,3000,4	Straight, plate	—
		3000W,3100W	Straight, plate	Straight, plate
		BM250	Straight, plate	Straight, plate
MURATA	MW	40	Flat nose	Flat nose
		50	Flat nose	Flat nose
		80	Flat nose	Flat nose
		100G(HG),120G(HG)	A2-5	A2-5
		180	A2-6	A2-6
		200G	A2-6	A2-6
		200GS(High power)	A2-8	A2-8
		300G	A2-8	A2-8
		400G	A2-11	A2-11
		20	Flat nose	—

Model			First Spindle Nose (JIS)	Second Spindle Nose (JIS)
MURATA		50G,60G	A2-5	—
		90	A2-6	—
		100G	A2-6	—
	MZ	60G	Flat	—
		60G	A2-5	—
		100G	A2-6	—
		120G	A2-5	A2-5
		180	A2-6	A2-6
	MJ	200G	A2-6	A2-6
		60	A2-5	—
		100	A2-6	—
		200	Flat nose	—
	MT	12	A2-5	A2-5
		20,25	A2-6	A2-6
		100	φ90A2-5/φ110A2-6	φ90A2-5/φ110A2-6
		200	φ100/110/120A2-6/φ130A2-8	φ100/110/120A2-6/φ130A2-8
	ML	400	A2-6	—
	MV	120(M)	A2-5	—
	WSC	6	Flat, plate	—
	1SC	12	A2-5	—
		10M5000	A2-6	—
		12M5020	A2-8	—
	MSC	22	A2-8	—
	2SC	15M5060,18M5090	A1-11	—
	3SC	24(M5240),28	A1-15	—
	ALX	1500	A2-5	—
		2000	A2-6	—
		2500	A2-8	—
	CL	1500	A2-5	—
		2000A,2000B(Large bore spec)	A2-6	—
	Dura Turn	1530	A2-5	—
		2030	A2-6	—
		2050	A2-6	—
		2550	A2-8	—
	MT		A2-5	—
		(Large bore spec)	A2-6	—
		With 2nd main spindle	A2-5	A2-5
		With 2nd main spindle(Large bore spec)	A2-6	A2-5
		2000	A2-6	—
		2000(With 2nd main spindle)	A2-6	A2-5
		2500,3000	A2-8	—
		2500(With 2nd main spindle,3000(With 2nd main spindle)	A2-8	A2-6
		4000A Type	A2-11	—
		4000B Type	A2-15	—
	NL	4000C Type	A1-20	—
		4000A Type(With 2nd main spindle)	A2-11	A2-8
		4000B Type(With 2nd main spindle)	A2-15	A2-8
		4000C Type(With 2nd main spindle)	A1-20	A2-8
		1500	A2-5	—
		1500(With 2nd main spindle)	A2-5	A2-5
		2000	A2-6	—
		2000(With 2nd main spindle)	A2-6	A2-5
		2500,3000	A2-8	—
		2500(With 2nd main spindle)	A2-8	A2-5
DMG MORI SEIKI	NLX	1500	A2-5	—
		1500(With 2nd main spindle)	A2-5	A2-5
		2000	A2-6	—
		2000(With 2nd main spindle)	A2-6	A2-5,A2-6(Option)
		2500,3000	A2-8	—
	NRX	2500(With 2nd main spindle)	A2-8	A2-5,A2-6(Option)
		4000	A2-11,A2-15(Option)	—
		6000	A2-20	—
		2000	A2-5	—
	NT	3100,3150	A2-5	—
		3100(With 2nd main spindle),3150(With 2nd spindle)	A2-5	A2-5
		3200,4200	A2-6	—
		3200(With 2nd main spindle),4200(With 2nd spindle)	A2-6	A2-6
		4250,4300	A2-8	—
		4250(With 2nd main spindle),4300(With 2nd spindle)	A2-8	A2-8
		5400	A2-11	—
		5400(With 2nd main spindle)	A2-11	A2-11
		6600B	A2-15	—
		6600B(With 2nd main spindle)	A2-15	A2-15
	NTX	6600C	A1-20	—
		6600C(With 2nd main spindle)	A1-20	A1-20
		1000	A2-5	A2-5
		2000	A2-6	A2-6
		2000,3000	A2-8	A2-8
	NZ	1500	A2-5	A2-5
		2000	A2-6	A2-6
		1500(Large bore spec)	A2-6	A2-6
	NZX	1500	A2-5	A2-5
		2000	A2-6,A2-8(Option)	A2-6
		2500	A2-6(Option), A2-8	—
		4000	A2-11,A2-15,A2-20	—
	RL	153	A2-5	A2-5
		203	A2-6	A2-6

*DMG MORI SEIKI includes former manufacturer : Amada Machine Tools, WASINO

Model		First Spindle Nose (JIS)	Second Spindle Nose (JIS)
DMG MORI SEIKI	2500	A2-8	A2-8
	SL 154	A2-5	—
	154(With 2nd main spindle)	A2-5	A2-5
	204	A2-6	—
	SL 204(With 2nd main spindle)	A2-6	A2-5
	2500Y,303A,303B(Large bore spec)	A2-8	—
	403B,65B,65MC	A2-11	—
	403C,603B,803A,80A,80F	A2-15	—
	603C,65C,803,803B,80,80B	A1-20	—
	65A,75A	A1-11	—
	803C,80C	A2-20	—
	1000	A2-5	—
	VL 253A1	A2-8	—
	553	A2-11	—
	ZL 153	A2-5	—
	153(With 2nd main spindle)	A2-5	A2-5
	203,253(High speed spec.)	A2-6	—
	203(With 2nd main spindle)	A2-6	A2-5
	253,35	A2-8	—
	253S	A2-8	A2-5
	45B,45MC	A2-11	—
	ZT 1000Y,1500Y	A2-5	A2-5
	1500YB	A2-6	A2-5
	1500YB(With 2nd main spindle, Large bore spec)	A2-6	A2-6
	2500	A2-8	A2-8
	S1500	A2-5	—
	S1500(Large bore spec)	A2-6	—
	L 3-J2,3-J3	A1-6	—
	5-J2,5-J3	A2-8	—
	6-J	A1-11	—
	7-J	A2-11	—
	12-C,15-C	A1-8	—
	LE(G) 19K	A1-6	—
	LEO(G) 80A,125A	A1-6	—
	LG 5,6,7,7M	A2-4	—
	7F,8,8M,8MC	A2-6	—
	LJ 3A	A2-4	—
	3B,5B	A2-6	—
	6,10,6M(MC),10M(MC)	A2-8	—
	LN 32N,50N	A1-6	—
	LPT 35C	A1-5	—
	LR 55A	A1-5	—
	SH 5(M,D,DM)	A2-4	—
	SL 10,10S	A2-6	—
	12	A2-8	—
	TH 5(M)	A2-4	—
	10(M)	A2-6 (at special A2-4)	—
	G 100,100M	Φ100Flat	—
	04T,04 - UP	Special	—
	05-UP	Φ95Flat	—
	05,06,07,07-M	Φ100Flat	—
	G-5	Φ80Flat	—
	06,06P	Φ100Flat	—
	07,07M	Φ100Flat	—
	07-F	A2-6	—
	J 1	Φ100Flat	—
	f-1	Φ80Flat	—
	J-1,JJ-1	Φ100Flat	—
	3	A2-6	—
	5	A2-6/A2-8	—
	A i8,i8f	Φ56Flat/Φ80Flat	—
	12,D-12	A2-6	—
	18-S,D-18S	A2-8	—
	150Y,150SY	A2-6	—
	C 3D	A2-6	—
YAMAZAKI MAZAK	CT 4500	A2-11	—
	5500	A2-20	—
	DT 20	A2-6	A2-6
	25	A2-8	A2-8
	200	A2-6	A2-6
	INTE 1004	A2-5	—
	1004S	A2-5	A2-5
	2004	A2-6	—
	2004S	A2-6	A2-6
	3004,4004	A2-8	—
	3004S,4004S	A2-8	A2-8
	410H2,410H2 Option spec.,420H2	A2-8	—
	410HS2,410HS2 Option spec.,420HS2	A2-8	A2-8
	420H2 Option spec.,500H2,650H2	A2-11	—
	420HS2 Option spec.,500HS2,650HS2	A2-11	A2-11
	500H2 Option spec.,650H2 Option spec.	A2-15	—
	500HS2 Option spec.,650HS2 Option spec.	A2-15	A2-11
	i-100	A2-5	—
	i-100S	A2-5	A2-5
	i-200	A2-6	—
	i-200S	A2-6	A2-6
	i-300	A2-8	—
	i-300S	A2-8	A2-8

Model		First Spindle Nose (JIS)	Second Spindle Nose (JIS)
YAMAZAKI MAZAK	i-400	A2-8	—
	i-400S	A2-8	A2-8
	j-200	A2-6	—
	j-200S	A2-6	A2-5
	j-300	A2-8	—
	j-400	A2-8	—
	IVS 200	A2-6	—
	300	A2-8	—
	400	A2-11	—
	M 4	A2-8	—
	5	A1-11	—
	MP 6100	A2-5	A2-5
	4200,6200	A2-6	A2-6
	4300,6250,6300,650	A2-8	A2-8
	MPN 8200Y	A2-6	A2-6
	NANO TURN	Φ85h6 Flat nose	—
	PM	A1-11	—
	QTN 100	A2-5	—
	100S	A2-5	A2-5
	150,200	A2-6	—
	200S	A2-6	A2-5
	250	A2-8	—
	300	A2-8	—
	350,400	A2-11	—
	450	A2-15	—
	QT 100	A2-5	—
	100S	A2-5	A2-5
	200	A2-6	—
	200S	A2-6	A2-5
	250	A2-8	—
	250S	A2-8	A2-5
	300	A2-8	—
	350,400	A2-11	—
	450	A2-15	—
	QTC 100	A2-6	—
	200	A2-8	—
	300	A2-11	—
	ST 450,50	A1-11	—
	60	A2-15	—
	80	A2-11	—
	X 100	A2-5	—
	120	A2-5	Flat
	150	A2-6	—
	180	A2-6	—
	200	A2-6 (A2-8 opt)	A2-5
	S700	A2-6,A2-8	—
	12	A2-5	—
	20	A2-6	A2-6
	XT 6	A2-5	—
	8	A2-6	—
	XTT 500	A2-6 (A2-8 opt)	A2-6 (A2-8 opt)
	XWT 10	A2-8	—
	XC 100	A2-5	—
	150	Φ170Flat	—
	XL 100	A2-5	—
	150	A2-6 (A2-8 opt)	—
	200	A2-6(A2-8)	A2-5
	SX 150	Φ170Flat	—
	XD 7	convexΦ75Flat	Collect chuck only
	5	Flat	Flat
	8	Flat	Flat
	8t	Flat	Flat
	10i	A2-5	A2-5
	XW 30	A3-S2	—
	30PLUS	A2-3	—
	40	A2-5	—
	50	concaveΦ82.55Flat	concaveΦ82.55Flat
	60	A2-5 (A2-4 opt)	A2-5 (A2-4 opt)
	80	A2-5	A2-5
	130	A2-6	A2-6
	150	A2-6	A2-6
	180	A2-6	A2-6
	200	A2-8	convexΦ75Flat
	XY 120	A2-5	convexΦ75Flat
	1000	A2-5	A2-5
	2000	A2-6 (A2-8 opt)	A2-6
	mini-TURN	convexΦ75Flat	—
	TOP-TURN II A	A2-5	—
	B	A2-5	—
	USL 300	A3-S2	—
	480	A3-S2	—
	J-WAVE	concaveΦ82.55Flat	—
	GSL 10	A2-5	—
	15	A2-6	—
SADA UNIS	VERSEC-neo	A1-5	—